

RDG10




INNOTEX CLASSIC™

Based on the INNO5172 with an outer shell of Brigade®.

DuPont™
Nomex.
NEVER QUIT.™

DuPont™
Kevlar.

COMPOSITE



Outer Shell:
Brigade® Yellow



Moisture Barrier:
Stedair® 3000



Thermal Barrier:
Q-8™

STANDARD FEATURES



Basic Configuration
32" style coat / regular waist pant

NFPA style 3M
Scotchlite® 3" triple trim

Snap-in liner attachment



3" BR-1 Collar
Patented BR-1™ collar – 3" – INNO5000™ Series – 4 layers

(US Patent 6 481 018)



Brass Zipper closure on coat



Hook & Dee closure on pants



8" x 4" x 2" Radio pocket with mic loop
Left Chest.



8" x 10" Semi Bellow Pockets on coat



10" x 10" Semi Bellow Pockets on pants



Regular Knees
Knees reinforced with gray Polymer Coated Aramid.

Includes extra padding in the knee (14 oz Nomex® felt).



White Nomex wristlet with thumb hole



Inspection port
On coat and pants.

Waist Adjustment & Suspenders

Two adjustment straps with thermoplastic buckles

H-style suspenders with neoprene padding

PARTNERS





Classified by UL to NFPA 1971:2013

INNOTEX®

2397 Harts Ferry Rd., Ohatchee, Alabama
USA 36271

INNOTEX®

275 Gouin, Richmond, Quebec
Canada J0B 2H0

Customer Service

1 888 821 3121 (U.S. and Canada only)
Tel.: 819 826-5971
Fax: 819 826-5195

Email: info@innotexprotection.com
www.innotexprotection.com

® Registered Trademark of INNOTEX INC. or their respective holders.

™ Trademark of INNOTEX INC. or their respective holders.

Printed in Canada / REV. 04-16

Copyright 2016 INNOTEX INC.

All rights reserved. Because of our ongoing commitment to product quality and development we reserve the right to change, cancel, discontinue or alter any specification, design or feature without prior notice and without incurring obligation.

Disclaimer : The portrayed situations are fictional and no attempt should be made to reproduce them.